

From: Richard Rupert/R3/USEPA/US
Sent: 1/4/2012 1:00:44 PM
To: Lora Werner
CC:
Subject: Re: Dimock - Analytical Questions

Any word yet?

Richard Rupert
On-Scene Coordinator
Region III U.S.Environmental Protection Agency
1650 Arch Street, 3HS31
Philadelphia, PA 19103-2029
(215) 814-3463 FAX (215) 814-3254
e-mail rupert.richard@epa.gov

From: Lora Werner
Sent: 01/03/2012 07:02 PM EST
To: Richard Rupert
Subject: Re: Dimock - Analytical Questions
I will check w/this my HQ. Thanks, L
Lora Siegmann Werner, ATSDR/CDC Region 3

From: Richard Rupert
Sent: 01/03/2012 06:28 PM EST
To: "Lora Werner" <lora.werner@epa.gov>
Subject: Fw: Dimock - Analytical Questions
Lora could you answer question 3 for me please.

Richard Rupert
On-Scene Coordinator
Region III U.S.Environmental Protection Agency
1650 Arch Street, 3HS31
Philadelphia, PA 19103-2029
(215) 814-3463 FAX (215) 814-3254
e-mail rupert.richard@epa.gov

From: "Graves, Suddha" [Sgraves@TechLawInc.com]
Sent: 01/03/2012 06:17 PM EST
To: Richard Rupert
Cc: Richard Fetzer; "Nance, Gene" <Gnance@TechLawInc.com>; "Carter, Joe" <Jcarter@TechLawInc.com>
Subject: Dimock - Analytical Questions

Rich Rupert,

Hope you had a good Christmas and New Year.

We had a couple questions pertaining to the analysis of samples for Dimock, which I was hoping you could provide some clarification.

1. In an e-mail sent from you to Joe Carter on 12/22/11, you had specified a list of parameters that you wanted expedited turn-around-times for. One of them was methane. There are 2 methods being used to analyze for dissolved methane (Isotech and the RSK-175 Method). We are assuming you wanted it for the "Dissolved Gases, Methane, Ethane, & Ethene" by (RSK-175). Is this correct?
2. I wanted to point out that since we will be utilizing the HACH kits for field screening of turbidity, alkalinity, ferrous iron, and dissolved sulfide we removed any of these which had been on the list of parameters that will be analyzed by a laboratory. Additionally, we will be using the YSI water quality instrument to measure pH and a sample will not be submitted to a lab for pH analysis. Are you OK with this?
3. We have a lab lined up to analyze samples for "Bacteria (Fecal & total coliform, HPC)". The

analytical method the lab uses for fecal coliform is "Method SM 9222B / Enumeration", for EColi Confirmation "Method Colitag - / No Enumeration", and for HPC "Method SM 9215B" Are these Methods acceptable?

We will have several more methods being proposed by laboratories tomorrow. I will send these proposed methods to you for confirmation as soon as we receive them.

Thanks,

Suddha Graves

TechLaw, Inc.

2208 Warwood Ave

Wheeling, WV 26003

304-230-1230 (office)

304-830-1441 (cell)

304-232-5006 (fax)